

CHEMAX
CORPORATION

P. O. Box 7453, Beaumont, TX 77726-7453
Phone (409) 866-4232 FAX (409) 866-4424


MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD (HSC) 29 CFR 1910, 1200, STANDARD MUST BE CONSULTED FOR SPECIFIC REQUIREMENTS.

MATERIAL SAFETY DATA SHEET

EMERGENCY PHONE 1-800-346-0132

HMIS SYMBOL	
HEALTH	2
FLAMMABILITY	4
REACTIVITY	0

HMIS	NFPA
SEVERE 4	EXTREME
SERIOUS 3	HIGH
MODERATE 2	MODERATE
SLIGHT 1	SLIGHT
MINIMAL 0	INSIGNIFICANT



PRODUCT IDENTIFICATION:

A111

NEW GENERATION

DATE: 01/02/03

AR

SECTION I: HAZARDOUS INGREDIENTS

CAS NUMBER	CHEMICAL NAME	%	TLV (PPM)
110-54-3	HEXANE	87.5	50
67-63-0	ISOPROPYL ALCOHOL	9.5	350
124-38-9	CARBON DIOXIDE	3.0	5000

96.3% VOC 670 grams/liter VOC

NOTE - THIS PRODUCT CONTAINS THESE SARA TITLE III, SECTION 313 CHEMICALS:
HEXANE

SECTION II: PHYSICAL DATA

BOILING POINT: N/A
 VAPOR PRESSURE: 80-100
 VAPOR DENSITY: N/E
 SOLUBILITY IN WATER: NONE
 SPECIFIC GRAVITY: 0.675
 PERCENT VOLATILE BY VOLUME: N/A
 EVAPORATION RATE: N/E
 P H: N/A
 APPEARANCE AND ODOR: CLEAR, FORCEFUL SPRAY & ALIPHATIC SOLVENT ODOR

SECTION III: FIRE AND EXPLOSION DATA

FLASH POINT: EXTREMELY FLAMMABLE
 FLAMMABLE LIMITS: N/E
 EXTINGUISHING MEDIA: FOAM, DRY CHEMICAL, CARBON DIOXIDE
 SPECIAL FIREFIGHTING PROCEDURES: SELF-CONTAINED BREATHING APPARATUS

UNUSUAL FIRE AND EXPLOSION HAZARDS:

DO NOT EXPOSE TO TEMPERATURES ABOVE 130 F OR CONTAINER MAY RUPTURE

SECTION IV: HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: N/A

EFFECTS OF OVEREXPOSURE: HEADACHE; DIZZINESS; ASPHYXIA; ANESTHETIC EFFECTS; POSSIBLE UNCONSCIOUSNESS; IRRITATION TO EYES AND SKIN; NAUSEA; AND CHEMICAL PNEUMONITIS IF ASPIRATED INTO THE LUNGS

EMERGENCY FIRST AID PROCEDURES:

SKIN: WASH WITH SOAP AND WATER. IF IRRITATED, SEE PHYSICIAN.

EYES: FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATED, SEE PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NECESSARY.
SEEK IMMEDIATE MEDICAL ATTENTION.

SECTION V: REACTIVITY DATA**STABILITY DATA:** STABLE. AVOID OPEN FLAME, WELDING ARCS, HEAT, SPARKS.**INCOMPATIBILITY:** STRONG OXIDIZING AGENTS**HAZARDOUS DECOMPOSITION PRODUCTS:** CARBON DIOXIDE, CARBON MONOXIDE**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR**SECTION VI: SPILL OR LEAK PROCEDURES**

SMALL SPILLS: ABSORB WITH SUITABLE MEDIUM. INCINERATE OR LANDFILL ACCORDING TO ALL THE LOCAL, STATE, OR FEDERAL REGULATIONS. DO NOT FLUSH TO SEWER.

LARGE SPILLS: AEROSOL CANS, WHEN EMPTIED AND DEPRESSURIZED THROUGH NORMAL USE, POSE NO DISPOSAL HAZARD AND SHOULD BE RECYCLED.

AVOID BREATHING OF VAPORS AND ABSORPTION THROUGH SKIN.**FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-RECLAIMABLE SPILLS.****SECTION VII: SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION: IF VAPOR CONCENTRATION EXCEEDS TLV, USE RESPIRATOR APPROVED BY U.S. BUREAU OF MINES FOR ORGANIC VAPOR.

VENTILATION: ADEQUATE VENTILATION TO KEEP VAPOR CONCENTRATION BELOW TLV(s)**PROTECTIVE GLOVES:** NEOPRENE GLOVES**EYE PROTECTION:** SAFETY GLASSES RECOMMENDED**OTHER PROTECTIVE EQUIPMENT:** NONE**SECTION VIII: SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: DO NOT PUNCTURE OR INCINERATE CONTAINERS. DO NOT STORE AT TEMPERATURES ABOVE 130 F. KEEP OUT OF REACH OF CHILDREN. AVOID ANY FOOD CONTAMINATION. AVOID BREATHING OF ALL VAPORS.

OTHER PRECAUTIONS: READ & FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE MANNER, AND THEY ALSO GIVE YOU THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.