



MATERIAL SAFETY DATA SHEET


EMERGENCY PHONE 1-800-346-0132

P. O. Box 7453, Beaumont, TX 77726-7453
Phone (409) 866-4232 FAX (409) 866-4424

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD (HSC) 29 CFR 1910, 1200, STANDARD MUST BE CONSULTED FOR SPECIFIC REQUIREMENTS.

HMIS SYMBOL	
HEALTH	1
FLAMMABILITY	1
REACTIVITY	0

HMIS	NFPA
SEVERE 4	EXTREME
SERIOUS 3	HIGH
MODERATE 2	MODERATE
SLIGHT 1	SLIGHT
MINIMAL 0	INSIGNIFICANT



PRODUCT IDENTIFICATION: 0607 SYSTEM 9
DATE: 01/02/03

SECTION I: HAZARDOUS INGREDIENTS

CAS NUMBER	CHEMICAL NAME	%	TLV (PPM)
64742-65-0	NEUTRAL OIL	85	5 mg/M3
800967-5411-P	ADDITIVES	15	N/A
		TOTAL	100%

SECTION II: PHYSICAL DATA

BOILING POINT: > 240 F
VAPOR PRESSURE: N/D
VAPOR DENSITY: (AIR=1): > 1
SOLUBILITY IN WATER: NIL
SPECIFIC GRAVITY: (H2O=1): 0.870
PERCENT VOLATILE BY VOLUME: N/D
EVAPORATION RATE: N/D
P H: N/D
APPEARANCE AND ODOR: TRANSPARENT RED, OILY LIQUID

SECTION III: FIRE AND EXPLOSION DATA

FLASH POINT: 182 C
FLAMMABLE LIMITS: N/D
EXTINGUISHING MEDIA: DRY CHEMICAL (preferred), CARBON DIOXIDE, FOAM, WATER
SPECIAL FIREFIGHTING PROCEDURES: USE WATER TO COOL FIRE EXPOSED CONTAINERS, STRUCTURES, AND TO PROTECT PERSONNEL. WATER OR FOAM CAN CAUSE FROTHING. FIREFIGHTERS WEAR A POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.
UNUSUAL FIRE AND EXPLOSION HAZARDS: SLIGHT WHEN EXPOSED TO HEAT OR FLAME. COMBUSTIBLE AT HIGH TEMPERATURES.

SECTION IV: HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: N/D

EFFECTS OF OVEREXPOSURE: INGESTION CAN CAUSE VOMITING, NAUSEA, DIARRHEA; INHALATION CAN CAUSE RESPIRATORY TRACT IRRITATION; EYE & SKIN IRRITANT

EMERGENCY FIRST AID PROCEDURES:

SKIN: WASH WITH SOAP & WATER

EYES: FLUSH WITH WATER. IF IRRITATION PERSISTS, CALL PHYSICIAN.

INGESTION: GIVE 2-3 GLASSES OF WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

INHALATION: REMOVE TO FRESH AIR

SECTION V: REACTIVITY DATA

STABILITY DATA: STABLE. AVOID OXIDIZING ATMOSPHERES.

INCOMPATIBILITY: CHLORINE, OXYGEN

HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI: SPILL OR LEAK PROCEDURES

SMALL SPILLS: STOP FLOW AND DIKE SPILL. ELIMINATE ALL IGNITION SOURCES. ABSORB ON INERT MATERIAL AND SCRAPE UP.

LARGE SPILLS: SAME

AVOID BREATHING OF VAPORS AND ABSORPTION THROUGH SKIN.

FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-RECLAIMABLE SPILLS.

SECTION VII: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NOT REQUIRED

VENTILATION: NOT REQUIRED IN EXCESS TO NORMAL VENTILATION

PROTECTIVE GLOVES: NEOPRENE OR PLASTIC

EYE PROTECTION: SPLASH GOGGLES OR SAFETY GLASSES

OTHER PROTECTIVE EQUIPMENT: OIL RESISTANT APRON

DO NOT WORK IN OIL SOAKED CLOTHING. WASH AFTER HANDLING.

SECTION VIII: SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID PROLONGED EXPOSURE TO MIST AND VAPORS. AVOID FLAMES, SPARKS, AND HOT SURFACES. KEEP CONTAINERS CLOSED. SHELF LIFE 1 YEAR. EMPTY CONTAINERS CAN CONTAIN EXPLOSIVE GAS.

OTHER PRECAUTIONS: READ & FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE MANNER, AND THEY ALSO GIVE YOU THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.