

**CHEMAX**  
CORPORATION

P. O. Box 7453, Beaumont, TX 77726-7453  
Phone (409) 866-4232 FAX (409) 866-4424


MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD (HSC) 29 CFR 1910, 1200. STANDARD MUST BE CONSULTED FOR SPECIFIC REQUIREMENTS.

**MATERIAL SAFETY DATA SHEET**

EMERGENCY PHONE 1-800-346-0132

HMIS SYMBOL	
HEALTH	1
FLAMMABILITY	1
REACTIVITY	2

HMIS	NFPA
SEVERE 4	EXTREME
SERIOUS 3	HIGH
MODERATE 2	MODERATE
SLIGHT 1	SLIGHT
MINIMAL 0	INSIGNIFICANT



**PRODUCT IDENTIFICATION:** A174 TOUCH UP  
DATE: 01/02/03 Q

**SECTION I: HAZARDOUS INGREDIENTS**

CAS NUMBER	CHEMICAL NAME	%	TLV (PPM)
78-93-3	2-BUTANONE	8-10	200
66476-85-7	LIQUIFIED PETROLEUM GAS	25-30	1000
75-09-2	METHYLENE CHLORIDE	20-30	50
14807-96-6	TALC	5-10	2 mg/M3
13463-67-7	TITANIUM DIOXIDE	10-15	10 mg/M3
108-88-3	TOLUENE	15-20	N/A
9003-55-8	PLASTIC RESIN	3-7	N/A
68187-8-84	THICKENER	0-1	N/A

NOTE - THIS PRODUCT CONTAINS THESE SARA TITLE III, SECTION 313 CHEMICALS:  
2-BUTANONE, METHYLENE CHLORIDE, TITANIUM DIOXIDE, TOLUENE

**SECTION II: PHYSICAL DATA**

BOILING POINT: 104 F  
VAPOR PRESSURE: 350 mm Hg  
VAPOR DENSITY: (AIR=1): > 1  
SOLUBILITY IN WATER: 0%  
SPECIFIC GRAVITY: (H2O=1): 0.90  
PERCENT VOLATILE BY VOLUME: N/A  
EVAPORATION RATE: (BUTYL ACETATE=1): > 1  
P H: N/D  
APPEARANCE AND ODOR: WHITE SPRAY & CHLORINATED SOLVENT ODOR

**SECTION III: FIRE AND EXPLOSION DATA**

FLASH POINT: 250 F TCC  
FLAMMABLE LIMITS: FLAMMABLE  
EXTINGUISHING MEDIA: CO2, FOAM, WATER, DRY CHEMICAL  
SPECIAL FIREFIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: CONTENTS UNDER PRESSURE.  
EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

SECTION IV: HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: N/D

EFFECTS OF OVEREXPOSURE:

MAY AGGRAVATE PULMONARY/RESPIRATORY/CARDIOVASCULAR ILLNESS

EMERGENCY FIRST AID PROCEDURES:

SKIN: WASH WITH SOAP AND WATER

EYES: FLUSH WITH WATER 15 MIN. CONTACT PHYSICIAN IF IRRITATION PERSISTS.

INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN.

INHALATION: REMOVE TO FRESH AIR

SECTION V: REACTIVITY DATA

STABILITY DATA: STABLE

INCOMPATIBILITY: NONE

HAZARDOUS DECOMPOSITIONN PRODUCTS: NONE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI: SPILL OR LEAK PROCEDURES

SMALL SPILLS: WIPE UP WITH RAG OR USE ABSORBENT CLAY MATERIAL. PIGMENT RESIDUE MAY BE CLEANED UP WITH KEROSENE.

LARGE SPILLS: AEROSOL CANS, WHEN EMPTIED AND DEPRESSURIZED THROUGH NORMAL USE, POSE NO DISPOSAL HAZARD AND SHOULD BE RECYCLED.

AVOID BREATHING OF VAPORS AND ABSORPTION THROUGH SKIN.

FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-RECLAIMABLE SPILLS.

SECTION VII: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: USE IN WELL VENTILATED AREA

VENTILATION: N/D

PROTECTIVE GLOVES: N/D

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE EQUIPMENT:N/A

SECTION VIII: SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP OUT OF REACH OF CHILDREN. STORE IN COOL/DRY AREA AWAY FROM HEAT/OPEN FLAME. DON'T STORE ABOVE 120 F.

OTHER PRECAUTIONS: READ & FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE MANNER, AND THEY ALSO GIVE YOU THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.